

09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name StemSpan™ Lymphoid Differentiation Coating Material (100X)

Other means of identification

Catalog Number 09925

Document Number DX22333

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier

STEMCELL Technologies Canada Inc. Suite 500 - 1618 Station Street Vancouver, British Columbia V6A 1B6 Canada

Emergency telephone number

Emergency Telephone 1-800-667-0322

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

### Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance Clear Physical state Liquid Odor No data available

### Other Information

Not applicable

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

## <u>Mixture</u>

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### Description of first aid measures

**Inhalation** Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with information listed on the Product Information Sheet (PIS).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection**No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Other protection This product contains material derived from human plasma. Donors have been tested and

found negative for HIV-1 and -2, hepatitis B, and hepatitis C prior to donation. However, this product should be considered potentially infectious. Use controls and personal protection



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

appropriate for biohazardous infectious materials, as described in: Canadian Biosafety

Standards and Guidelines (CBSG), Second Edition.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

ColorNo information availableOdorNo data availableOdor thresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known No data available None known Flash point **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit:No data availableLower flammability limit:No data available

No data available None known Vapor pressure Vapor density No data available None known Relative density No data available None known No data available Water solubility None known Solubility in other solvents No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known No data available Kinematic viscosity None known No data available None known Dynamic viscosity

Explosive properties No data available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
Molecular formula
VOC Content (%)
Liquid Density
No information available



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

## 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid**None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Numerical measures of toxicity

#### **Acute toxicity**

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Product Information** 



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Product Information

No information available.

Serious eye damage/eye irritation
Product Information

**Respiratory or skin sensitization** No information available.

Product Information

Germ cell mutagenicity No information available.

Product Information

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

Product Information

**STOT - single exposure** No information available.

Product Information

STOT - repeated exposure No information available.

Product Information

**Aspiration hazard** No information available.

12. ECOLOGICAL INFORMATION

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Product Information

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

\_\_\_\_\_

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

**IMDG** Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Does not comply **DSL/NDSL** Complies **EINECS/ELINCS** Complies Does not comply **ENCS IECSC** Complies **KECL** Does not comply **PICCS** Does not comply **AICS** Complies

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances



# 09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

\_\_\_\_\_

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

No
No
No
No
No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			

#### U.S. EPA Label Information



09925 - StemSpan™ Lymphoid Differentiation Coating Material (100X)

Revision Date 15-Sep-2021 Revision Number 1.1

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Prepared By, Quality Control. STEMCELL Technologies Canada Inc.

Revision Date 15-Sep-2021

**Revision Note** No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. STEMCELL Technologies Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

**End of Safety Data Sheet**