

Anti-Human OCT4 (OCT3) Antibody, Clone 3A2A20, PE

Mouse monoclonal IgG2b antibody against human OCT4 (OCT3), PE-conjugated

Catalog #60093PE.1	25 Tests	5 µL/test
Catalog #60093PE	100 Tests	5 µL/test

Product Description

This monoclonal antibody reacts with human octamer-binding transcription factor 4 (OCT4), also known as OCT3 and OCT3/4, an ~40 kDa homeodomain transcription factor belonging to the POU family, which is expressed in undifferentiated human embryonic stem (ES), induced pluripotent stem (iPS), embryonal carcinoma (EC), and embryonic germ (EG) cells. OCT4 binds to the octamer motif 5'- ATTTGCAT-3' and plays a key role in maintaining cells in a pluripotent state by interacting with other transcription factors such as SOX2 to regulate the expression of several genes including FBX15, FGF-4, REX1, SOX2, and osteopontin. OCT4 level is down-regulated during differentiation and it has thus emerged as a useful marker of pluripotency in stem cells, as well as a marker for certain human malignant germ cell tumours. Expression of OCT4 together with other transcription factors has been used to reprogram somatic cells into iPS cells. Multiple isoforms of OCT4 have been observed and in humans at least two are functionally active.

Target Antigen:	OCT4 (OCT3)
Alternative Names:	OCT-3, OCT-4, OCT3, octamer-binding transcription factor 4, POU domain class 5 transcription factor 1, POU5F1
Gene ID:	5460
Species Reactivity:	Human
Host Species:	Mouse
Clonality:	Monoclonal
Clone:	3A2A20
Isotype:	IgG2b, kappa
Immunogen:	Recombinant partial human OCT4 protein (amino acids 1 - 141)
Conjugate:	PE (Phycoerythrin)

Applications

Verified Applications: FC

Reported Applications: FC

Special Applications: This antibody clone has been verified for labeling human ES and iPS cells grown in TeSR™-E8™ (Catalog #05940) and mTeSR™1 (Catalog #05850).

Abbreviations: CellSep: Cell separation; ChIP: Chromatin immunoprecipitation; FA: Functional assay; FACS: Fluorescence-activated cell sorting; FC: Flow cytometry; FCXM: Flow cytometric crossmatch assay; FISH: Fluorescence in situ hybridization; ICC: Immunocytochemistry; IF: Immunofluorescence microscopy; IHC: Immunohistochemistry; IHC-F: Immunohistochemistry (frozen-tissue); IHC-P: Immunohistochemistry (paraffin-embedded); IP: Immunoprecipitation; NMR: Nuclear magnetic resonance spectroscopy; RIA: Radioimmunoassay; WB: Western blotting

Properties

Product Formulation: Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and 0.2% (w/v) bovine serum albumin

Purification: The antibody was purified by affinity chromatography and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.

Stability and Storage: Product stable at 2 - 8°C when stored undiluted. Do not freeze. Protect product from prolonged exposure to light. For product expiry date, please contact techsupport@stemcell.com.

Directions for Use: For flow cytometry, the suggested use of this antibody is 5 µL per 1 x 10⁶ cells in 100 µL or per 100 µL of whole blood. It is recommended that the antibody be titrated for optimal performance for each application.

Data




Figure 1. Data for Anti-Human OCT4 (OCT3) Antibody, Clone 3A2A20, PE.

(A) Flow cytometry analysis of human ES cells cultured with mTeSR™1 on Corning® Matrigel®. The ES cells (filled histogram) or HT1080 fibrosarcoma cells (negative control; dashed line histogram) were fixed and labeled with Anti-Human OCT4 (OCT3) Antibody, Clone 3A2A20, PE. Labeling of the ES cells with Mouse IgG2b, kappa Isotype Control Antibody, Clone MPC-11, PE (Catalog #60072PE) is shown (solid line histogram). (B) Human ES cells were cultured with TeSR™-E8™ on glass coverslips coated with Vitronectin XF™ (Catalog #07180), then fixed and labeled with Anti-Human OCT4 (OCT3) Antibody, Clone 3A2A20, PE. Inset shows labeling of human ES cells with Mouse IgG2b, kappa Isotype Control Antibody, Clone MPC-11, PE. (C) DAPI counterstaining of the cells shown in figure (B); nuclear localization of the OCT4 (OCT3) marker is evident.

Related Products

For a complete list of antibodies, including other conjugates, sizes, and clones, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/antibodies, or contact us at techsupport@stemcell.com.

References

- Loh Y-H et al. (2006) The Oct4 and Nanog transcription network regulates pluripotency in mouse embryonic stem cells. *Nat Genet* 38(4): 431–40.
- Malchenko S et al. (2014) Onset of rosette formation during spontaneous neural differentiation of hESC and hiPSC colonies. *Gene* 534(2): 400–7.
- McGuckin C et al. (2008) Culture of embryonic-like stem cells from human umbilical cord blood and onward differentiation to neural cells in vitro. *Nat Protoc* 3(6): 1046–55.
- Nichols J et al. (1998) Formation of pluripotent stem cells in the mammalian embryo depends on the POU transcription factor Oct4. *Cell* 95(3): 379–91.
- Niwa H et al. (2000) Quantitative expression of Oct-3/4 defines differentiation, dedifferentiation or self-renewal of ES cells. *Nat Genet* 24(4): 372–6.
- Pirozhkova I et al. (2013) Differences in transcription patterns between induced pluripotent stem cells produced from the same germ layer are erased upon differentiation. *PLoS One* 8(1): e53033.
- Reubinoff BE et al. (2000) Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. *Nat Biotechnol* 18(4): 399–404.
- Rijlaarsdam MA et al. (2011) Specific detection of OCT3/4 isoform A/B/B1 expression in solid (germ cell) tumours and cell lines: confirmation of OCT3/4 specificity for germ cell tumours. *Br J Cancer* 105(6): 854–63.
- Rosner MH et al. (1990) A POU-domain transcription factor in early stem cells and germ cells of the mammalian embryo. *Nature* 345(6277): 686–92.
- Takahashi K et al. (2007) Induction of pluripotent stem cells from adult human fibroblasts by defined factors. *Cell* 131(5): 861–72.
- Wernig M et al. (2007) In vitro reprogramming of fibroblasts into a pluripotent ES-cell-like state. *Nature* 448(7151): 318–24.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2024 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Inc. Matrigel is a trademark of Corning® Incorporated. TeSR, E8 and mTeSR are trademarks of WARF. Vitronectin XF™ is developed and manufactured by Nucleus Biologics, and Vitronectin XF is a trademark of Nucleus Biologics. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.