

Anti-Human Epithelial Cell Antibody, Clone 5E11.3.1, FITC

Mouse monoclonal IgG1 antibody against human epithelial cells, FITC-conjugated

Catalog #100-1671 100 Tests 20 μ L/test

Product Description

This monoclonal antibody reacts with an unidentified marker expressed on the surface of most luminal cells of normal human mammary epithelium. Weak labeling (or no labeling) is observed within the basal cell compartment of the mammary epithelium. The 5E11.3.1 antibody gives variable labeling on malignant breast epithelium. Positive labeling is observed on the following cell lines: MCF7, CAMA, T47D, BT-10, BT-20, COLO 205, and WiDr. Labeling is negative on human bone marrow cells, blood cells, lymphoid and mesenchymal tissues, mammary and marrow fibroblast cultures, and human embryonic stem cell line H9.

Target Antigen: Human Epithelial Cell

Alternative Names: Not applicable

Gene ID: 4072

Species Reactivity: Human

Host Species: Mouse

Clonality: Monoclonal

Clone: 5E11.3.1

Isotype: IgG1, kappa

Immunogen: Human mammary carcinoma cell line T47D

Conjugate: FITC (Fluorescein isothiocyanate)

Applications

Verified Applications: CellSep, FC

Reported Applications: FACS, FC

Special Applications: This antibody clone has been verified for purity assessments of cells isolated with EasySep™ kits,

including EasySep™ Direct CTC Enrichment Kit (Catalog #19657) and EasySep™ Human EpCAM Positive

Selection Kit II (Catalog #17846).

Abbreviations: CellSep: Cell separation; ChIP: Chromatin immunoprecipitation; FA: Functional assay; FACS: Fluorescence-activated cell sorting; FC: Flow cytometry; FCXM: Flow cytometric crossmatch assay; FISH: Fluorescence in situ hybridization; ICC: Immunocytochemistry; IF: Immunofluorescence microscopy; IHC: Immunohistochemistry; IHC-F: Immunohistochemistry (frozen-tissue); IHC-P: Immunohistochemistry (paraffin-embedded); IP: Immunoprecipitation; NMR: Nuclear magnetic resonance spectroscopy; RIA: Radioimmunoassay; WB: Western blotting

Properties

Product Formulation: Phosphate-buffered saline containing 0.1% bovine serum albumin and less than 0.1% sodium azide

Purification: The antibody was purified by affinity chromatography.

Stability and Storage: Product stable at 2 - 8°C when stored undiluted. Do not freeze. Protect product from prolonged


exposure to light. For product expiry date, contact techsupport@stemcell.com.

Directions for Use: For flow cytometry, the suggested use of this antibody is 20 µL per 1 x 10⁶ cells in 100 µL. The

antibody also works well on paraffin sections; however, a heat-induced antigen retrieval protocol is required for optimal staining of formalin-fixed paraffin-embedded tissues. It is recommended that the

antibody be titrated for optimal performance for each application.

Data



Flow cytometry analysis of human MCF7 cells labeled with Anti-Human Epithelial Cell Antibody, Clone 5E11.3.1, followed by Goat Anti-Mouse IgG Antibody, Polyclonal, FITC (Catalog #60138FI; filled histogram), or Mouse IgG1, kappa Isotype Control Antibody, Clone MOPC-21 (Catalog #60070), followed by Goat Anti-Mouse IgG Antibody, Polyclonal, FITC (solid line histogram).

Related Products

For a complete list of antibodies, including other conjugates, sizes, and clones, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/antibodies, or contact us at techsupport@stemcell.com.

References

Aupet S et al. (2013) Isolation of viable human hepatic progenitors from adult livers is possible even after 48 hours of cold ischemia. Tissue Eng Part C Methods 19(7): 497–506.

Bardy P et al. (1997) Isolation and analysis of different subpopulations of normal human breast epithelial cells after their infection with a retroviral vector encoding a cell surface marker. Breast Cancer Res Treat 44(2): 153–65.

Kryczek I et al. (2009) Phenotype, distribution, generation, and functional and clinical relevance of Th17 cells in the human tumor environments. Blood 114(6): 1141–9.

Tornillo G et al. (2018) Dual mechanisms of LYN kinase dysregulation drive aggressive behavior in breast cancer cells. Cell Rep 25(13): 36743692. e10.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2024 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.