

Human Recombinant IL-15, ACF

Interleukin 15, animal component-free

Catalog #78218	10 µg
Catalog #78218.1	100 µg
Catalog #78218.2	500 µg
Catalog #78218.3	1000 µg

Product Description

Interleukin 15 (IL-15) is a four-alpha helix bundle cytokine with many similar properties to IL-2. The IL-15 receptor is a heterotrimeric receptor composed of IL-15Ra (the high-affinity receptor for IL-15), as well as IL-2/15Rb (CD122) and common gamma chain (CD132). IL-15 binds to IL-15Ra receptor and can then be presented in trans to IL-2/15Rb and common gamma chain on other cells. Transpresentation is thought to be the major mechanism by which IL-15-mediated responses occur in mice, although may not be necessary in humans (Castillo et al.). The cytoplasmic domains of IL-2/15Rb and common gamma chain mediate signaling to activate JAK/STAT and PI3K pathways. IL-15 supports the survival and proliferation of naïve CD4⁺ and CD8⁺ T cells, and promotes homeostasis of memory T cells. IL-15 also promotes the survival and differentiation of NK cells and regulates their cytolytic activity (Ma et al.). This product is animal component-free.

Product Information

Alternative Names:	ILT, Interleukin15
Accession Number:	P40933
Amino Acid Sequence:	MNWWNVISDL KKIEDLIQSM HIDATLYTES DVHPSCKVTA MKCFLLLELQV ISLESGDASI HDTVENLIIL ANNLSNNGN VTESGCKECE ELEEKNIKEF LQSFVHIVQM FINTS
Predicted Molecular Mass:	12.9 kDa
Species:	Human
Product Formulation:	Lyophilized from a sterile-filtered solution containing sodium bicarbonate, pH 8.5.
Source:	E. coli
Purity:	≥ 97%

Specifications

Activity:	The specific activity is $\geq 1 \times 10^6$ units/mg ($EC_{50} \leq 1$ ng/mL), as determined by a cell proliferation assay using CTLL-2 cells.
Endotoxin Level:	Measured by kinetic Limulus amebocyte lysate (LAL) analysis and is ≤ 0.1 EU/ μ g protein.

Preparation and Storage

Stability and Storage:	Store at -20 to -80°C. Stable as supplied for 12 months from date of receipt.
Preparation:	Centrifuge vial before opening. Reconstitute the product in sterile water to at least 0.1 mg/mL by pipetting the solution down the sides of the vial. Do not vortex. OPTIONAL: After reconstitution, if product will not be used immediately, dilute with concentrated bovine serum albumin (BSA) to a final BSA concentration of 0.1%. The effect of storage of stock solution on product performance should be tested for each application. As a general guide, do not store at 2 - 8°C for more than 1 month or at -20 to -80°C for more than 3 months. Avoid repeated freeze-thaw cycles.

Data




Figure 1. Biological Activity and Molecular Mass of Human Recombinant IL-15, ACF

(A) The biological activity of Human Recombinant IL-15, ACF was tested by its ability to promote the proliferation of CTLL2 cells. The EC₅₀ is defined as the effective concentration of the growth factor at which cell proliferation is at 50% of maximum. The EC₅₀ in the above example is ≤ 1 ng/mL. (B) 1 μ g of Human Recombinant IL-15, ACF was resolved with SDS-PAGE under reducing (+) and non-reducing (-) conditions and visualized by Coomassie Blue staining. Human Recombinant IL-15, ACF has a predicted molecular mass of 12.9 kDa.

Related Products

For a complete list of cytokines or peptide pools, as well as related products available from STEMCELL Technologies, visit www.stemcell.com/cytokines or contact us at techsupport@stemcell.com.

References

Castillo et al. (2012) Regulating the immune system via IL-15 trans-presentation. *Cytokine* 59(3): 479.

Ma A et al. (2006) Diverse functions of IL-2, IL-15, and IL-7 in lymphoid homeostasis. *Annu Rev Immunol* 24: 657-79.

PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2025 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.