

TeSR™-E5

Defined, serum-free, xeno-free medium for pluripotent stem cells

Catalog #05916

500 mL Kit



Scientists Helping Scientists™ | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Product Description

TeSR™-E5 is a defined, serum- and xeno-free medium that is based on the formulation of TeSR™-E8™, but does not contain transforming growth factor β (TGF- β), basic fibroblast growth factor (bFGF), or insulin. It may be used as a basal medium for differentiation of human embryonic stem (ES) cells and induced pluripotent stem (iPS) cells, or other applications where removal of the above cytokines and insulin is desirable.

Product Information

The following components are sold as a complete kit (Catalog #05916) and are not available for individual sale.

COMPONENT NAME	COMPONENT #	SIZE	STORAGE	SHELF LIFE
TeSR™-E5/E6 Basal Medium	05947	475 mL	Store at 2 - 8°C.	Stable for 18 months from date of manufacture (MFG) on label.
TeSR™-E5 20X Supplement	05918	25 mL	Store at -20°C.	Stable for 18 months from date of manufacture (MFG) on label.

Please refer to the Safety Data Sheet (SDS) for hazard information.

Preparation of Complete TeSR™-E5 Medium

Use sterile techniques to prepare complete TeSR™-E5 medium (Basal Medium + 20X Supplement). The following example is for preparing 500 mL of complete medium. If preparing other volumes, adjust accordingly.

1. Thaw 20X Supplement at room temperature (15 - 25°C) or overnight at 2 - 8°C. Mix thoroughly.

NOTE: Once thawed, use within 1 day or aliquot and store at -20°C. Do not exceed the shelf life of the supplement. After thawing the aliquots, use immediately. Do not re-freeze.

2. Add 25 mL of 20X Supplement to 475 mL of Basal Medium. Mix thoroughly.

NOTE: If prepared using sterile techniques, complete TeSR™-E5 medium is ready for use and does not require filtering. If not used immediately, store complete TeSR™-E5 medium at 2 - 8°C for up to 2 weeks or at -20°C for up to 1 month. Thaw complete TeSR™-E5 medium at room temperature (15 - 25°C) or overnight at 2 - 8°C. Do not re-freeze.

Directions for Use

TeSR™-E5 medium can be used as a basal medium for a variety of human ES and iPS cell protocols. For example, it can be used as a basal medium for differentiation protocols, screening assays, and other applications where TGF- β , bFGF, and insulin are not desired. Customers should add appropriate cytokines and growth factors for their specific applications. For applications where insulin is required, TeSR™-E6 may be used.

TeSR™-E5 is not suitable for maintenance of human ES and iPS cells, or reprogramming to iPS cells. Fully optimized media should be used for maintenance of human ES and iPS cells (TeSR™-E8™, mTeSR™1, or TeSR™2) and reprogramming to human iPS cells (TeSR™-E7™ or ReproTeSR™). For complete instructions on using these media, refer to the corresponding documents listed in the table on page 2.

Documents are available at www.stemcell.com or contact us to request a copy.

PRODUCT	CATALOG #	DOCUMENT #
mTeSR™1	85850/85857/85870/85875	28315
TeSR™2	05860/05880	28210
TeSR™-E8™	05990	DX20809
TeSR™-E7™	05910	28051
TeSR™-E6	05946	28059
ReproTeSR™	05926	DX22191

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2019 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists, and ReproTeSR are trademarks of STEMCELL Technologies Canada Inc. E7, E8, mTeSR, and TeSR are trademarks of WARF. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.