

Small Molecules

BIX01294

Epigenetic modifier; Inhibits G9a histone methyltransferase

Catalog # 72042
72044

1 mg
5 mg



Scientists Helping Scientists™ | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM


FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Product Description

BIX01294 is a very specific inhibitor of the G9a ($IC_{50} = 1.9 \mu\text{M}$) and G9a-like (GLP, $IC_{50} = 0.7 \mu\text{M}$) histone methyltransferases. These methyltransferases target the lysine 9 position on histone 3 (H3K9). BIX01294 inhibits G9a and GLP by occupying the histone binding site, preventing interaction with histones (Chang et al.; Kubicek et al.). This product is supplied as the trihydrochloride hydrate form of the molecule.

Molecular Name:	BIX01294 (Trihydrochloride Hydrate)
Alternative Names:	Not applicable
CAS Number:	1808255-64-2
Chemical Formula:	$C_{28}H_{38}N_6O_2 \cdot 3HCl [XH_2O]$
Molecular Weight:	600.0 g/mol (anhydrous basis)
Purity:	$\geq 98\%$
Chemical Name:	2-(hexahydro-4-methyl-1H-1,4-diazepin-1-yl)-6,7-dimethoxy-N-[1-(phenylmethyl)-4-piperidinyl]-4-quinazolinamine, trihydrochloride, hydrate

Structure:



Properties

Physical Appearance:	A crystalline solid
Storage:	Product stable at -20°C as supplied. Protect from prolonged exposure to light. For long-term storage store with a desiccant. For product expiry date, please contact techsupport@stemcell.com .
Solubility:	<ul style="list-style-type: none">· Water $\leq 16 \text{ mM}$· DMSO $\leq 8 \text{ mM}$ For example, to prepare a 5 mM stock solution in water, resuspend 1 mg in 333 μL of water.

Prepare stock solution fresh before use. Information regarding stability of small molecules in solution has rarely been reported, however, as a general guide we recommend storage in DMSO at -20°C . Aliquot into working volumes to avoid repeated freeze-thaw cycles. The effect of storage of stock solution on compound performance should be tested for each application.

For use as a cell culture supplement, stock solution should be diluted into culture medium immediately before use. Avoid final DMSO concentration above 0.1% due to potential cell toxicity.

Published Applications

REPROGRAMMING

· Enhances reprogramming of mouse embryonic fibroblasts or fetal neural progenitor cells to induced pluripotent stem cells without using c-Myc and SOX2 (Shi et al. 2008a; Shi et al. 2008b).

References

Chang Y et al. (2009) Structural basis for G9a-like protein lysine methyltransferase inhibition by BIX-01294. *Nat Struct Mol Biol* 16(3): 312–7.

Kubicek S et al. (2007) Reversal of H3K9me2 by a small-molecule inhibitor for the G9a histone methyltransferase. *Mol Cell* 25(3): 473–81.

Shi Y et al. (2008a) A combined chemical and genetic approach for the generation of induced pluripotent stem cells. *Cell Stem Cell* 2(6): 525–8.

Shi Y et al. (2008b) Induction of pluripotent stem cells from mouse embryonic fibroblasts by Oct4 and Klf4 with small-molecule compounds. *Cell Stem Cell* 3(5): 568–74.

Related Small Molecules

For a complete list of small molecules available from STEMCELL Technologies, please visit our website at www.stemcell.com/smallmolecules or contact us at techsupport@stemcell.com.

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2017 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.