# MyeloCult™ M5300

#### Medium for long-term culture of mouse cells



Scientists Helping Scientists<sup>™</sup> | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713 INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Catalog # 05	5300	100 mL	INFO@STEMICELL.COM • TECHSUPPORT@STEMICELL.COM
			FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE
05	5350	500 mL	
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

### **Product Description**

MyeloCult<sup>™</sup> M5300 is optimized for the initiation and maintenance of myeloid long-term cultures of mouse hematopoietic cells and stromal cell feeder layers. The sera used in this formulation have been pre-tested and selected for their ability to support long-term myelopoiesis by primitive mouse hematopoietic cells (e.g. in long-term culture-initiating cell [LTC-IC] assays).

MyeloCult™ M5300 requires the addition of freshly prepared Hydrocortisone (Catalog #07904).

### Properties

Storage:Store at -20°C.Shelf Life:Stable until expiry date (EXP) on label.Contains:• Horse serum<br/>• Fetal bovine serum<br/>• 2-Mercaptoethanol

- Minimum Essential Medium (MEM) Alpha
- Supplements

# Handling / Directions For Use

For detailed instructions refer to the Technical Manual: Mouse Long-Term Culture-Initiating Cell (LTC-IC) Assays (Document #28417), available on our website at www.stemcell.com or contact us to request a copy.

1. Thaw MyeloCult<sup>™</sup> M5300 medium in refrigerator (2 - 8°C), at room temperature (15 - 25°C), or at 37°C until just thawed. Mix well by swirling.

NOTE: If not used immediately, store at 2 - 8°C for up to 1 month.

NOTE: If precipitate or crystals are present after thawing, allow the medium to equilibrate to room temperature (15 - 25°C) or place at  $37^{\circ}$ C for up to 1 hour and mix well by swirling. If precipitate or crystals persist, centrifuge or filter using a 0.2 µm low protein binding filter before use.

- 2. Add freshly prepared and filter-sterilized hydrocortisone to give a final concentration of 10^-6 M.
  - NOTE: After addition of hydrocortisone, the medium is stable for up to 1 week when stored at 2 8°C.
- 3. Cultures should be established in tissue culture-treated plasticware to promote cell attachment and adherent layer formation. NOTE: During medium changes, care should be taken to avoid disturbing the adherent layer. Do not touch the bottom of the dish when pipetting; instead, rest the pipette against the side of the dish. When dispensing, allow medium to run slowly down the side of the dish rather than directly onto the surface of the adherent layer.

# Notes and Tips

RELATED PRODUCTS

For related products, including specialized culture and storage media, supplements, antibodies, cytokines, and small molecules, visit www.stemcell.com/HSPCworkflow or contact us at techsupport@stemcell.com.



## References

Dexter TM et al. (1980) The role of cells and their products in the regulation of in vitro stem cell proliferation and granulocyte development. J Supramol Struct 13(4): 513–24.

Fraser CC et al. (1990) Expansion in vitro of retrovirally marked totipotent hematopoietic stem cells. Blood 76(6): 1071-6.

Lemieux ME et al. (1995) Characterization and purification of a primitive hematopoietic cell type in adult mouse marrow capable of lymphomyeloid differentiation in long-term marrow "switch" cultures. Blood 86(4): 1339–47.

Miller CL, Dykstra B & Eaves CJ. (2008) Characterization of mouse hematopoietic stem and progenitor cells. Curr Protoc Immunol Chapter 22 Unit 22B.2.

Miller CL & Eaves CJ. (2002) Long-term culture-initiating cell assays for human and murine cells. Methods Mol Med 63: 123-41.

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2017 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, Scientists Helping Scientists, and MyeloCult are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.