Small Molecules	UM729	STEMCELL <sup>M</sup>
	Pyrimido-indole derivative that enhances HSC self-renewal in vitro	Scientists Helping Scientists™   WWW.STEMCELL.COM
		TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713
Catalog # 72332	250 µg of active compound	INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM
72334	1 mg of active compound	FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

## **Product Description**

UM729 is a pyrimido-[4,5-b]-indole derivative which enhances the self-renewal of human hematopoietic stem cells (HSCs) in vitro (Fares et al.). UM729 does not inhibit the aryl hydrocarbon receptor (AhR) pathway, but has been shown to collaborate with AhR antagonists in preventing differentiation of acute myeloid leukemia (AML) cells in culture (Pabst et al.).

Molecular Name:	UM729	
Alternative Names:	UM-729	
CAS Number:	Not applicable	
Chemical Formula:	$C_{20}H_{25}N_5O_2 \cdot X \text{ HCI } [X \text{ H2O}]$	
Molecular Weight:	367.4 g/mol	
Purity:	≥ 95%	
Chemical Name:	Methyl 4-((3-(piperidin-1-yl)propyl)amino)-9H-pyrimido[4,5-b] indole-7-carboxylate	
Structure:		
	0 N	



## Properties

 Physical Appearance:
 Light yellow or green to off-white solid

 Storage:
 Product stable at room temperature (15 - 25°C) as supplied. Protect from prolonged exposure to light. For product expiry date, please contact techsupport@stemcell.com.

 Solubility:
 · DMSO ≤ 20 mM

 For example, to prepare a 5 mM stock solution in DMSO, dissolve 1 mg in 544 μL of fresh DMSO or dissolve 250 μg in 136 μL of fresh DMSO.

 Prepare stock solution fresh before use. Information regarding stability of small molecules in solution has rarely been reported, however, as a general guide we recommend storage in DMSO at -20°C. Aliquot into working volumes to avoid repeated freeze-thaw cycles. The effect of storage of stock solution on compound performance should be tested for each application.

 Compound has low solubility in aqueous media. For use as a cell culture supplement, stock solution should

Compound has low solubility in aqueous media. For use as a cell culture supplement, stock solution should be diluted into culture medium immediately before use. Avoid final DMSO concentration above 0.1% due to potential cell toxicity.



**Published Applications** 

MAINTENANCE AND SELF-RENEWAL

· Enhances human hematopoietic stem cell self-renewal in vitro (Fares et al.).

CANCER RESEARCH

· Collaborates with StemRegenin 1 (SR1) in preventing differentiation of AML cells in culture (Pabst et al.).

## References

Fares I et al. (2014) Pyrimidoindole derivatives are agonists of human hematopoietic stem cell self-renewal. Science 345(6203): 1509–12. Pabst C et al. (2014) Identification of small molecules that support human leukemia stem cell activity ex vivo. Nat Methods 11(4): 436–42.

## **Related Small Molecules**

For a complete list of small molecules available from STEMCELL Technologies, please visit our website at www.stemcell.com/smallmolecules or contact us at techsupport@stemcell.com.

This product is potentially hazardous. Please refer to the Safety Data Sheet (SDS).

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2015 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design and Scientists Helping Scientists are trademarks of STEMCELL Technologies Inc. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.