

Small Molecules

Neurodazine

Inducer of neural differentiation

Catalog # 73292

10 mg



Scientists Helping Scientists™ | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713


INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

FOR RESEARCH USE ONLY. NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES.

Product Description

Neurodazine is a cell-permeable tri-substituted imidazole and neurogenic agent (Williams et al. 2007).

Molecular Name:	Neurodazine
Alternative Names:	Not applicable
CAS Number:	937807-66-4
Chemical Formula:	C ₂₇ H ₂₁ ClN ₂ O ₃
Molecular Weight:	456.9 g/mol
Purity:	≥ 98%
Chemical Name:	2-[5-(3-chlorophenyl)-2-furanyl]-4,5-bis(4-methoxyphenyl)-1H-imidazole
Structure:	

Properties

Physical Appearance:	A crystalline solid
Storage:	Product stable at -20°C as supplied. Protect from prolonged exposure to light. For product expiry date, please contact techsupport@stemcell.com.
Solubility:	<ul style="list-style-type: none">· DMSO ≤ 20 mM· Absolute ethanol ≤ 20 mM For example, to prepare a 10 mM stock solution in DMSO, resuspend 10 mg in 2.19 mL of DMSO.

Prepare stock solution fresh before use. Information regarding stability of small molecules in solution has rarely been reported, however, as a general guide we recommend storage in DMSO at -20°C. Aliquot into working volumes to avoid repeated freeze-thaw cycles. The effect of storage of stock solution on compound performance should be tested for each application.

Compound has low solubility in aqueous media. For use as a cell culture supplement, stock solution should be diluted into culture medium immediately before use. Avoid final DMSO concentration above 0.1% due to potential cell toxicity.

Published Applications

DIFFERENTIATION

- Induces neurogenesis of C2C12 myoblasts as well as mature human muscle cells, marked by upregulation of neural genes (Williams et al. 2007; Williams et al. 2008).
- Induces neurogenesis and prevents astrocyte differentiation of P19 mouse embryonic carcinoma cells (Kim et al.).
- Induces neuronal differentiation of human (SH-SY5Y) and mouse (Neuro-2a) neuroblastoma cells, and mouse NIH3T3 fibroblast cells (Halder et al.).

References

- Halder D et al. (2015) Synthetic small molecules that induce neuronal differentiation in neuroblastoma and fibroblast cells. *Mol Biosyst.*
- Kim G-H et al. (2014) Imidazole-based small molecules that promote neurogenesis in pluripotent cells. *Angew Chem Int Ed Engl* 53(35): 9271–4.
- Williams DR et al. (2008) Fluorescent high-throughput screening of chemical inducers of neuronal differentiation in skeletal muscle cells. *Nat Protoc* 3(5): 835–9.
- Williams DR et al. (2007) Synthetic small molecules that induce neurogenesis in skeletal muscle. *J Am Chem Soc* 129(30): 9258–9.

Related Small Molecules

For a complete list of small molecules available from STEMCELL Technologies, please visit our website at www.stemcell.com/smallmolecules or contact us at techsupport@stemcell.com.

This product is hazardous. Please refer to the Safety Data Sheet (SDS).

Copyright © 2015 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design and Scientists Helping Scientists are trademarks of STEMCELL Technologies Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.