

Antibodies

Catalog #60101

Anti-Rat NGF Receptor/p75NTR (CD271) Antibody, Clone 192- IgG

Mouse monoclonal IgG1 antibody
against rat NGFR/p75NTR (CD271),
unconjugated

100 µg



Scientists Helping Scientists™ | WWW.STEMCELL.COM

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713

INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM

FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

Product Description

The 192-IgG (MC192) antibody clone reacts with CD271 (p75NTR), a 75 kDa type I transmembrane protein. The p75 neurotrophin receptor (p75NTR) is also known as the low-affinity NGF receptor (LNGFR) or CD271. This antibody is useful for the detection of all cells expressing p75NTR on their surface, such as motor neurons in spinal cord, cholinergic basal forebrain neurons, activated Schwann cells, olfactory ensheathing glial cells, and numerous cell lines. This antibody reacts with the extracellular domain of the neurotrophin receptor p75NTR from rat but not other species.

Target Antigen Name:	NGF Receptor, p75NTR (CD271)
Alternative Names:	Gp80-LNGFR, Low-affinity nerve growth factor receptor, Low-affinity neurotrophin receptor, NGF receptor, p75NTR, p75 ICD
Gene ID:	24596
Species Reactivity:	Rat
Host Species:	Mouse (BALB/c)
Clonality:	Monoclonal
Clone:	192-IgG (MC192)
Isotype:	IgG1
Immunogen:	Detergent-solubilized proteins isolated from the rat pheochromocytoma cell line PC12
Conjugate:	Unconjugated

Applications

Verified:	IHC
Reported:	FA, FC, ICC, IHC, IP, WB

Abbreviations: CellSep: Cell separation; ChIP: Chromatin immunoprecipitation; FA: Functional assay; FACS: Fluorescence-activated cell sorting; FC: Flow cytometry; ICC: Immunocytochemistry; IF: Immunofluorescence microscopy; IHC: Immunohistochemistry; IP: Immunoprecipitation; RIA: Radioimmunoassay; WB: Western blotting

Properties

Formulation:	Lyophilized
Purification:	The antibody was purified by protein G chromatography.
Stability and Storage:	Product stable at -20°C when stored undiluted. For product expiry date, please contact techsupport@stemcell.com .
Directions for Use:	Centrifuge vial before opening. Resuspend the product in 0.1 mL sterile water. Glycerol at 1:1 may be added after resuspension. Centrifuge if solution is not clear. NOTE: Once resuspended, store stock dilution at -20°C. Avoid repeated freeze-thaw cycles. For immunohistochemistry the suggested concentration of this antibody is 1 - 2 µg/mL. It is recommended that the antibody be titrated for optimal performance for each application.

Related Products

For a complete list of antibodies, including other conjugates, sizes and clones, as well as related products available from STEMCELL Technologies, please visit our website at www.stemcell.com/antibodies or contact us at techsupport@stemcell.com.

References

1. Barcelona PF & Saragovi HU. (2015) A pro-nerve growth factor (proNGF) and NGF binding protein, α 2 -macroglobulin, differentially regulates p75 and TrkA receptors and is relevant to neurodegeneration ex vivo and in vivo. *Mol Cell Biol* 35(19): 3396–408. (FC)
2. Eleftheriadou I et al. (2014) Specific retrograde transduction of spinal motor neurons using lentiviral vectors targeted to presynaptic NMJ receptors. *Mol Ther* 22(7): 1285–98. (FA, FC)
3. Vilar M et al. (2009) Activation of the p75 neurotrophin receptor through conformational rearrangement of disulphide-linked receptor dimers. *Neuron* 62(1): 72–83. (IP)
4. Lagares A et al. (2007) Primary sensory neuron addition in the adult rat trigeminal ganglion: Evidence for neural crest glio-neuronal precursor maturation. *J Neurosci* 27(30): 7939–53. (FC, ICC)
5. Chandler CE et al. (1984) A monoclonal antibody modulates the interaction of nerve growth factor with PC12 cells. *J Biol Chem* 259(11): 6882–9. (FA)

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2018 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.