# Lambda™ Plus Pipettor, 20 μL

2 - 20 µL pipettor

Catalog # 38060 1 Pipettor



Scientists Helping Scientists<sup>™</sup> | www.stemcell.com

TOLL FREE PHONE 1 800 667 0322 • PHONE +1 604 877 0713 INFO@STEMCELL.COM • TECHSUPPORT@STEMCELL.COM FOR GLOBAL CONTACT DETAILS VISIT OUR WEBSITE

### **Product Description**

Corning® Lambda<sup>TM</sup> Plus Pipettor is a single-channel, volumetric instrument designed to measure and transfer liquids precisely and safely. These fully autoclavable and UV-resistant pipettors have been designed for a universal fit with all common brands of pipette tips, including Corning® Filtered Pipette Tips (STEMCELL Catalog #38031). Each pipettor has smooth plunger movement, low pipetting force, and an adjustable tip ejector. Volume can be adjusted using the thumb wheel or plunger button, and a locking mechanism can be used to prevent accidental volume changes. The pipettor can accommodate volumes from  $0.2 \mu L$  to  $1000 \mu L$ , depending on the model. Pipettors are available individually and as a kit. The kit includes the  $10 \mu L$ ,  $200 \mu L$ , and  $1000 \mu L$  pipettors, as well as  $10 \mu L$ ,  $200 \mu L$ , and  $1000 \mu L$  pipette tips and a carousel stand.

Catalog #38058, 1000 µL Pipettor (Corning Catalog #4075)

Catalog #38059, 200 µL Pipettor (Corning Catalog #4074)

Catalog #38060, 20  $\mu$ L Pipettor (Corning Catalog #4072)

Catalog #38061, 10 µL Pipettor (Corning Catalog #4071)

Catalog #38062, 2 µL Pipettor (Corning Catalog #4070) - Not included in Pipettor Starter Kit

Catalog #38063, Pipettor Starter Kit (Corning Catalog #4069)

#### **APPLICATIONS**

- Liquid handling
- RNA/DNA purification
- PCR
- Molecular biology

### Properties

Storage: Store at 15 - 25°C.
Shelf Life: Not applicable

### **Features**

### CAPACITY

Minimum volume: 2 µL ± 3.0% accuracy
Maximum volume: 20 µL ± 0.8% accuracy

#### TIP SIZE

• Fits 200 µL tips

## Handling / Directions For Use

For complete instructions, refer to the Technical Manual: Corning® Lambda® Plus Single-channel, 8-channel, and 12-channel Pipettors Instruction Manual (Document #DX21630), available at www.stemcell.com or contact us to request a copy.

#### WARRANTY

Three-year warranty is provided by Corning Life Sciences, valid from date of purchase. Original purchase receipt is required. For the complete warranty statement, refer to the Technical Manual or contact us at techsupport@stemcell.com.



## Notes and Tips

For chemical resistance information, refer to the Technical Manual: Corning® Lambda® Plus Single-channel, 8-channel, and 12-channel Pipettors Instruction Manual or contact us at techsupport@stemcell.com.

### **Related Products**

For a complete list of related products available from STEMCELL Technologies, visit www.stemcell.com or contact us at techsupport@stemcell.com.

STEMCELL TECHNOLOGIES INC.'S QUALITY MANAGEMENT SYSTEM IS CERTIFIED TO ISO 13485. PRODUCTS ARE FOR RESEARCH USE ONLY AND NOT INTENDED FOR HUMAN OR ANIMAL DIAGNOSTIC OR THERAPEUTIC USES UNLESS OTHERWISE STATED.

Copyright © 2018 by STEMCELL Technologies Inc. All rights reserved including graphics and images. STEMCELL Technologies & Design, STEMCELL Shield Design, and Scientists Helping Scientists are trademarks of STEMCELL Technologies Canada Inc. Corning and Lambda are trademarks of Corning Incorporated. All other trademarks are the property of their respective holders. While STEMCELL has made all reasonable efforts to ensure that the information provided by STEMCELL and its suppliers is correct, it makes no warranties or representations as to the accuracy or completeness of such information.